


A301 Terminal block HUK series



HUK1.5N thickness: 4.2MM

(Section : 1.5 mm²) ⌀M2 ⇒7MM ICE60947-7-1

solid wire	stranded wire	I	U
0.14-1.5 mm ²	0.14-1.5 mm ²	17.5A	500V

end cover thickness:1.5 D-UK2.5B

insulation parting slip ----

grouping end cover thickness:2.0 ATP-UK


fixed bridge 10 way arbitrary separation FBI2-4
FBI3-4
FBI5-4
FBI10-4

insertion bridge -----

quick marking tags ZB4
ZB4H
ZB4S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5



HUK2.5B 厚度thickness: 6.2MM

(Section : 2.5 mm²) ⌀M3 ⇒7MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-2.5 mm ²	32A	690V

end cover thickness:1.5 D-UK2.5B

insulation parting slip TS-KK3

grouping end cover thickness:2.0 ATP-UK


fixed bridge 10 way arbitrary separation FBI2-6
FBI3-6
FBI5-6
FBI10-6

insertion bridge EB2-6
EB3-6
EB10-6

quick marking tags ZB6
ZB6H
ZB6S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5



HUK3N thickness: 5.2MM

(Section : 2.5 mm²) ⌀M3 ⇒8MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-2.5 mm ²	32A	800V

end cover thickness:1.5 D-UK3/10

insulation parting slip TS-K

grouping end cover thickness:2.0 ATP-UK


fixed bridge 10 way arbitrary separation FBI2-5
FBI3-5
FBI5-5
FBI10-5

insertion bridge EB2-5
EB3-5
EB10-5

quick marking tags ZB5
ZB5H
ZB5S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5



HUK5N thickness: 6.2MM

(Section : 4 mm²) ⌀M3 ⇒8MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-6 mm ²	0.2-4 mm ²	41A	800V

end cover thickness:1.5 D-UK3/10

insulation parting slip TS-K

grouping end cover thickness:2.0 ATP-UK


fixed bridge 10 way arbitrary separation FBI2-6
FBI3-6
FBI5-6
FBI10-6

insertion bridge EB2-6
EB3-6
EB10-6

quick marking tags ZB6
ZB6H
ZB6S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5



HUK6N thickness: 8.2MM

(Section : 6 mm²) ⌀M4 ⇒10MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-10 mm ²	0.2-6 mm ²	57A	800V

end cover thickness:1.5 D-UK3/10

insulation parting slip TS-K

grouping end cover thickness:2.0 ATP-UK


fixed bridge 10 way arbitrary separation FBI2-8
FBI3-8
FBI5-8
FBI10-8

insertion bridge EB2-8
EB3-8
EB10-8

quick marking tags ZB8
ZB8H
ZB8S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5



HUK10N thickness: 10.2MM

(Section : 10 mm²) ⌀M4 ⇒10MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-16 mm ²	0.2-10 mm ²	76A	800V

end cover thickness:1.5 D-UK3/10

insulation parting slip TS-K

grouping end cover thickness:2.0 ATP-UK

fixed bridge 10 way arbitrary separation FBI2-10
FBI3-10
FBI5-10
FBI10-10


insertion bridge ----

quick marking tags ZB10
ZB10H
ZB10S

fixed pieces thickness:8.2 E/UK


mount rail U35-7.5

A301 Terminal block HUK series




UIK16N thickness: 12.2MM
(Section : 16 mm²) ⌀M4 ⇒ 11MM ICE60947-7-1
solid wire stranded wire I U
2.5-25 mm² 4-16 mm² 101A 800V

- end cover thickness:1.5 D-UK3/10
- insulation parting slip TS-K
- grouping end cover thickness:2.0 ATP-UK
- fixed bridge 10 way arbitrary separation FBI2-12
FBI3-12
FBI5-12
FBI10-12
- quick marking tags ZB10
ZB10H
ZB10S
- fixed pieces thickness:8.2 E/UK
- mount rail U35-7.5




HUK16N thickness: 12.2MM
(Section : 16 mm²) ⌀M4 ⇒ 11MM ICE60947-7-1
solid wire stranded wire I U
2.5-25 mm² 4-16 mm² 101A 800V

- end cover thickness:1.5 D-UK16
- insulation parting slip TS-K
- grouping end cover thickness:2.0 ATP-UK
- fixed bridge 10 way arbitrary separation FBI2-12
FBI3-12
FBI5-12
FBI10-12
- quick marking tags ZB10
ZB10H
ZB10S
- fixed pieces thickness:8.2 E/UK
- mount rail U35-7.5




UIK35N thickness: 15.2MM
(Section : 35 mm²) ⌀M4 ⇒ 16MM ICE60947-7-1
solid wire stranded wire I U
0.75-35 mm² 0.75-35 mm² 125A 800V

- end cover thickness:1.5 -----
- insulation parting slip TS-K
- grouping end cover thickness:2.0 ATP-UK
- fixed bridge 10 way arbitrary separation FBI2-15
FBI3-15
FBI5-15
FBI10-15
- quick marking tags ZB10
ZB10H
ZB10S
- fixed pieces thickness:8.2 E/UK
- mount rail U35-7.5




HUK35N thickness: 15.2MM
(Section : 35 mm²) ⌀M4 ⇒ 16MM ICE60947-7-1
solid wire stranded wire I U
0.75-50 mm² 0.75-35 mm² 150A 1000V

- insulation parting slip TS-K3
- grouping end cover thickness:2.0 ATP-UK
- fixed bridge 10 way arbitrary separation FBI2-15
FBI3-15
FBI5-15
FBI10-15
- quick marking tags ZB10
ZB10H
ZB10S
- fixed pieces thickness:8.2 E/UK
- mount rail U35-7.5




UKH50 thickness: 20MM
(Section : 50 mm²) ⌀M6 ⇒ 24MM ICE60947-7-1
solid wire stranded wire I U
16-50 mm² 25-35 mm² 150A 1000V

- insulation parting slip -----
- grouping end cover thickness:2.0 -----
- fixed bridge 10 way arbitrary separation FBI2-20
FBI3-20
FBI5-20
FBI10-20
- quick marking tags ZB10
ZB10H
ZB10S
- fixed pieces thickness:8.2 E/UK
- mount rail U35-7.5




UKH95 thickness: 25MM
(Section : 95 mm²) ⌀M8 ⇒ 33MM ICE60947-7-1
solid wire stranded wire I U
25-95 mm² 35-95 mm² 232A 1000V

- insulation parting slip -----
- grouping end cover thickness:2.0 -----
- fixed bridge 10 way arbitrary separation -----
- quick marking tags ZB10
ZB10H
ZB10S
- fixed pieces thickness:8.2 E/UK
- mount rail U35-7.5



UKH150 thickness: 31MM
(Section : 150 mm²) ⌀M10 ⇒ 40MM ICE60947-7-1
solid wire stranded wire I U
35-150 m² 50-150 mm² 309 A 1000V

- quick marking tags ZB10
ZB10H
ZB10S
- fixed pieces thickness:8.2 E/UK
- mount rail U35-7.5




UKH240N thickness: 31MM
(Section : 240 mm²) ⌀M10 ⇒ 40MM ICE60947-7-1
solid wire stranded wire I U
70-240 mm² 70-240 mm² 415A 1000V

- quick marking tags ZB10
ZB10H
ZB10S
- fixed pieces thickness:8.2 E/UK
- mount rail U35-7.5

This document is property of CROP Technology Group Ltd. It is not allowed to send, duplicate or edit this document without written permission of CROP

A301 Terminal block HUK series




HUK-2.5BJD thickness: 6.2MM
(Section : 2.5 mm²) ⌀ M3 ⇒ 7MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-2.5 mm ²	32A	690V

insertion bridge




quick marking tags



fixed pieces thickness:8.2



mount rail



HUK-3JD thickness: 5.2MM
(Section : 2.5 mm²) ⌀ M3 ⇒ 8MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-2.5 mm ²	32A	800V

insertion bridge




quick marking tags



fixed pieces thickness:8.2



mount rail



HUK-5JD thickness: 6.2MM
(Section : 4 mm²) ⌀ M3 ⇒ 8MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-6 mm ²	0.2-4 mm ²	41A	800V

insertion bridge




quick marking tags



fixed pieces thickness:8.2



mount rail




HUK-6JD thickness: 8.2MM
(Section : 6 mm²) ⌀ M4 ⇒ 10MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-10 mm ²	0.2-6 mm ²	57A	800V

insertion bridge




quick marking tags



fixed pieces thickness:8.2



mount rail



HUK-10JD thickness: 10.2MM
(Section : 10 mm²) ⌀ M4 ⇒ 10MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-16 mm ²	0.2-10 mm ²	76A	800V

insertion bridge




quick marking tags



fixed pieces thickness:8.2



mount rail



UIK-16JD thickness: 12.2MM
(Section : 16 mm²) ⌀ M4 ⇒ 11MM ICE60947-7-1

solid wire	stranded wire	I	U
2.5-25 mm ²	4-16 mm ²	101A	800V

insertion bridge




quick marking tags



fixed pieces thickness:8.2



mount rail



HUK-16JD thickness: 12.2MM
(Section : 16 mm²) ⌀ M4 ⇒ 11MM ICE60947-7-1

solid wire	stranded wire	I	U
2.5-25 mm ²	4-16 mm ²	101A	800V

insertion bridge




quick marking tags



fixed pieces thickness:8.2



mount rail



HUK-35JD thickness: 15.2MM
(Section : 35 mm²) ⌀ M4 ⇒ 16MM ICE60947-7-1

solid wire	stranded wire	I	U
0.75-50 mm ²	0.75-35 mm ²	150A	1000V

insertion bridge




quick marking tags



fixed pieces thickness:8.2



mount rail



HUK-50JD thickness: 20MM
(Section : 50 mm²) ⌀ M6 ⇒ 24MM ICE60947-7-1

solid wire	stranded wire	I	U
16-50 mm ²	25-35 mm ²	150A	1000V

insertion bridge



quick marking tags






fixed pieces thickness:8.2



mount rail



A301 Terminal block HUK series



HUK5-HESI

thickness: 8.2MM

(Section : 4 mm²) ⌀ M3 ⇒ 8MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-4 mm ²	6.3A	800V

light-emitting diode display

fuse wire diameter X length		
		5X20
		5X25

insertion bridge		
		EB2-8
		EB3-8
		EB10-8

quick marking tags		
		ZB8
		ZB8H
		ZB8S

fixed pieces thickness:8.2		
		E/UK

mount rail		
		U35-7.5

HUK5-HESILED24

thickness: 8.2MM

(Section : 4 mm²) ⌀ M3 ⇒ 8MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-4 mm ²	6.3A	800V

light-emitting diode display AC/DC 15-30V
3.5-8.1MA

fuse wire diameter X length		
		5X20
		5X25

insertion bridge		
		EB2-8
		EB3-8
		EB10-8

quick marking tags		
		ZB8
		ZB8H
		ZB8S

fixed pieces thickness:8.2		
		E/UK

mount rail		
		U35-7.5

HUK5-HESILED250

thickness: 8.2MM

(Section : 4 mm²) ⌀ M3 ⇒ 8MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-4 mm ²	6.3A	800V

light-emitting diode display AC/DC 110-250V
0.5-1MA




fuse wire diameter X length		
		5X20
		5X25

insertion bridge		
		EB2-8
		EB3-8
		EB10-8

quick marking tags		
		ZB8
		ZB8H
		ZB8S

fixed pieces thickness:8.2		
		E/UK

mount rail		
		U35-7.5



HUK10-DREHSI

thickness: 6.2MM

(Section : 10 mm²) ⌀ M4 ⇒ 11MM ICE60947-7-1

solid wire	stranded wire	I	U
0.5-16 mm ²	0.5-10 mm ²	10A	800V

light-emitting diode display

fuse wire diameter X length		
		5X20

insertion bridge		
		ZB10

quick marking tags		
		ZB10
		ZB10H
		ZB10S

fixed pieces thickness:8.2		
		E/UK

mount rail		
		U35-7.5

HUK10-DREHSILED24

thickness: 6.2MM

(Section : 10 mm²) ⌀ M4 ⇒ 11MM ICE60947-7-1

solid wire	stranded wire	I	U
0.5-16 mm ²	0.5-10 mm ²	10A	800V

light-emitting diode display AC/DC 15-30V
3.5-8.1MA

fuse wire diameter X length		
		5X20

insertion bridge		
		Zb10

quick marking tags		
		Zb10
		ZB10H
		ZB10S

fixed pieces thickness:8.2		
		E/UK

mount rail		
		U35-7.5

HUK10-DREHSILED250

thickness: 6.2MM

(Section : 10 mm²) ⌀ M4 ⇒ 11MM ICE60947-7-1

solid wire	stranded wire	I	U
0.5-16 mm ²	0.5-10 mm ²	10A	800V

light-emitting diode display AC/DC 110-250V
0.5-1MA

fuse wire diameter X length		
		5X20

insertion bridge		
		ZB10

quick marking tags		
		ZB10
		ZB10H
		ZB10S


fixed pieces thickness:8.2		
		E/UK

mount rail		
		U35-7.5

* Grey Color can be required

This document is property of CROP Technology Group Ltd. It is not allowed to send, duplicate or edit this document without written permission of CROP

A301 Terminal block HUK series



MBKKB2.5 thickness: 5.2MM
(Section : 2.5 mm²) ⌀M3 ⇒ 7MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-2.5 mm ²	24A	500V

end cover thickness:1.5 D-MBKKB2.5

insulation parting slip TS-KK3

grouping end cover thickness:2.0 -----


fixed bridge 10 way arbitrary separation FBI2-5N
FBI3-5N
FBI5-5N
FBI10-5N

insertion bridge EB2-5
EB3-5
EB10-5

quick marking tags ZB5
ZB5H
ZB5S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5



HUKK3 thickness: 5.2MM
(Section : 2.5 mm²) ⌀M3 ⇒ 8MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-2.5 mm ²	32A	500V

end cover thickness:1.5 DG-UKK3/5
DP-UKK3/5

insulation parting slip TS-KK3

grouping end cover thickness:2.0 -----


fixed bridge 10 way arbitrary separation FBI2-5N
FBI3-5N
FBI5-5N
FBI10-5N

insertion bridge EB2-5
EB3-5
EB10-5

quick marking tags ZB5
ZB5H
ZB5S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5



UKKB3 thickness: 5.2MM
(Section : 2.5 mm²) ⌀M3 ⇒ 8MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-2.5 mm ²	32A	500V

end cover thickness:1.5 DG-UKKB3/5
DP-UKKB3/5

insulation parting slip TS-KK3

grouping end cover thickness:2.0 -----


fixed bridge 10 way arbitrary separation FBI2-5N
FBI3-5N
FBI5-5N
FBI10-5N

insertion bridge EB2-5
EB3-5
EB10-5

quick marking tags ZB5
ZB5H
ZB5S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5



HUKK5 thickness: 6.2MM
(Section : 4 mm²) ⌀M3 ⇒ 8MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-4 mm ²	32A	500V

end cover thickness:1.5 DG-UKK3/5
DP-UKK3/5

insulation parting slip TS-KK3

grouping end cover thickness:2.0 -----


fixed bridge 10 way arbitrary separation FBI2-6
FBI3-6
FBI5-6
FBI10-6

insertion bridge EB2-6
EB3-6
EB10-6

quick marking tags ZB6
ZB6H
ZB6S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5



UKKB5 thickness: 6.2MM
(Section : 4 mm²) ⌀M3 ⇒ 8MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-4 mm ²	32A	500V

end cover thickness:1.5 DG-UKKB3/5
DP-UKKB3/5

insulation parting slip TS-KK3

grouping end cover thickness:2.0 -----


fixed bridge 10 way arbitrary separation FBI2-6
FBI3-6
FBI5-6
FBI10-6

insertion bridge EB2-6
EB3-6
EB10-6

quick marking tags ZB6
ZB6H
ZB6S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5



HUK5-MTK-P/P thickness: 6.2MM
(Section : 4 mm²) ⌀M3 ⇒ 8MM ICE60947-7-1

solid wire	stranded wire	I	U
0.2-4 mm ²	0.2-4 mm ²	16A	800V

end cover thickness:1.5 -----

insulation parting slip -----

grouping end cover thickness:2.0 -----

fixed bridge 10 way arbitrary separation -----

insertion bridge -----




quick marking tags ZB6
ZB6H
ZB6S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5

This document is property of CROP Technology Group Ltd. It is not allowed to send, duplicate or edit this document without written permission of CROP

A301 Terminal block HUK series



HURTK/S

(Section : 6 mm²) ⌀ M3 8MM ICE60947-7-1 thickness: 6.2MM
 solid wire stranded wire I U
 0.5-10 mm² 0.5-6 mm² 57A 400V

end cover thickness: 2.5 D-URTK/S

insulation parting slip -----

grouping end cover thickness:2.0 -----

fixed bridge 10 way arbitrary separation FB2-RTK/S
 FB3-RTK/S
 FB5-RTK/S
 FB10-RTK/S

insertion bridge EB2-6
 EB3-6
 EB10-6

quick marking tags ZB8
 ZB8H
 ZB8S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5

HUDK4

(Section : 4 mm²) ⌀ M3 8MM ICE60947-7-1 thickness: 6.2MM
 solid wire stranded wire I U
 0.5-10 mm² 0.5-6 mm² 32A 690V

end cover thickness:1.5 D-UDK4

insulation parting slip TS-KK3

grouping end cover thickness:2.0 -----

fixed bridge 10 way arbitrary separation FB12-6
 FB13-6
 FB15-6
 FB10-6

insertion bridge EB2-6
 EB3-6
 EB10-6

quick marking tags ZB6
 ZB6H
 ZB6S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5

HUK5-TWIN

(Section : 4 mm²) ⌀ M3 8MM ICE60947-7-1 thickness: 6.2MM
 solid wire stranded wire I U
 0.5-10 mm² 0.5-6 mm² 32A 500V

end cover thickness:1.5 D-UK5-TWIN

insulation parting slip TS-KK3

grouping end cover thickness:2.0 -----



fixed bridge 10 way arbitrary separation FB12-6
 FB13-6
 FB15-6
 FB10-6

insertion bridge EB2-6
 EB3-6
 EB10-6

quick marking tags ZB6
 ZB6H
 ZB6S

fixed pieces thickness:8.2 E/UK

mount rail U35-7.5



UBE

thickness: 9.5MM

mount rail U35-7.5

UBE/D

thickness: 15.5MM

mount rail U35-7.5

KLM-A

thickness: 9.5MM

mount rail U35-7.5