

# LIQUID TIGHT CONDUIT FITTINGS



## ▶ Liquid Tight Conduit

Material: Steel, with heavy PVC coated

Application: can be used in both dry and wet locations where it would be impractical to install EMT or other non-flexible conduit




#Type	Trade Size	Metric Designator	Inside Diameter		Outside Diameter		Min. Bend Radius(mm)	Meters / Coil
			Min(mm)	Max(mm)	Min(mm)	Max(mm)		
LTC11	3/8"	12	12.29	12.80	17.50	18.00	50	100
LTC12	1/2"	16	15.80	16.31	20.80	21.30	80	100
LTC13	3/4"	21	20.83	21.34	25.20	26.70	105	50
LTC14	1"	27	26.44	27.08	32.80	33.40	165	50
LTC15	1-1/4"	35	35.05	35.81	41.40	42.20	200	25
LTC16	1-1/2"	41	40.01	40.64	47.40	48.30	225	25
LTC17	2"	53	51.31	51.94	59.40	60.30	280	20
LTC18	2-1/2"	63	62.99	63.63	72.10	73.00	370	20
LTC19	3"	78	77.98	78.74	87.90	88.90	440	10
LTC21	4"	103	101.60	102.62	113.30	114.30	600	10

## ▶ Liquid Tight Connector Straight

Material: Zinc

Application: for use to bond liquid tight conduit to a box or enclosure




#Type	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
469	3/8"	35	350	1.440	1.260
470	1/2"	40	400	1.440	1.385
471	3/4"	25	250	1.562	1.720
472	1"	15	150	1.825	1.900
473	1-1/4"	*	100	2.068	2.176
474	1-1/2"	*	100	2.068	2.507
475	2"	*	60	2.103	3.178
476	2-1/2"	*	25	3.269	4.218
477	3"	*	20	4.060	4.919
479	4"	*	10	4.323	5.948

## ▶ Liquid Tight Connector 90°

Material: Zinc

Application: for use to bond liquid tight conduit to a box or enclosure




#Type	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
489	3/8"	20	200	2.055	2.335
490	1/2"	25	250	2.215	2.345
491	3/4"	15	150	2.545	3.550
492	1"	10	100	2.815	3.785
493	1-1/4"	*	50	3.360	3.960
494	1-1/2"	*	60	3.450	4.130
495	2"	*	25	4.035	4.700
496	2-1/2"	*	10	5.215	5.375
497	3"	*	10	6.100	6.500
499	4"	*	5	6.780	8.000

### ▶ Liquid Tight Connector Straight

Material: Malleable Iron

Application: for use to bond liquid tight conduit to a box or enclosure




#Type	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
300	3/8"	*	500	1.685	1.385
301	1/2"	*	400	1.685	1.385
302	3/4"	*	250	1.805	1.600
303	1"	*	150	2.100	1.905
304	1-1/4"	*	125	2.200	2.435
305	1-1/2"	*	100	2.435	2.715
306	2"	*	50	2.850	3.245

### ▶ Liquid Tight Connector 45°

Material: Malleable Iron

Application: for use to bond liquid tight conduit to a box or enclosure




#Type	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
310	3/8"	*	200	1.000	1.381
311	1/2"	*	250	1.055	1.381
312	3/4"	*	125	1.188	1.500
313	1"	*	100	1.382	1.690
314	1-1/4"	*	50	1.628	1.939
315	1-1/2"	*	25	1.810	2.252
316	2"	*	25	1.939	2.750

### ▶ Liquid Tight Connector 90°

Material: Malleable Iron

Application: for use to bond liquid tight conduit to a box or enclosure




#Type	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
320	3/8"	*	200	1.805	1.305
321	1/2"	*	250	1.878	1.398
322	3/4"	*	150	2.058	1.625
323	1"	*	100	2.252	2.058
324	1-1/4"	*	50	2.751	2.125
325	1-1/2"	*	50	3.125	2.700
326	2"	*	25	3.880	2.950

### ▶ Rigid to Liquid Tight Coupling

Material: Zinc

Application: for use to couple Rigid or IMC to liquid tight conduit




#Type	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
400	3/8"	50	500	1.299	1.189
401	1/2"	25	250	1.548	1.350
402	3/4"	15	150	1.550	1.560
403	1"	15	150	1.795	1.878
404	1-1/4"	*	100	1.890	2.264
405	1-1/2"	*	100	1.969	2.442
406	2"	*	50	2.165	3.051
407	2-1/2"	*	25	2.441	3.740
408	3"	*	20	2.559	4.272
409	4"	*	10	2.835	5.512

### ▶ EMT to Liquid Tight Coupling

Material: Zinc

Application: for use to couple EMT to liquid tight conduit



#Type	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
410	3/8"	50	500	1.299	1.189
411	1/2"	25	250	1.548	1.350
412	3/4"	15	150	1.550	1.560
413	1"	15	150	1.795	1.878
414	1-1/4"	*	100	1.890	2.264
415	1-1/2"	*	100	1.969	2.442
416	2"	*	50	2.165	3.051
417	2-1/2"	*	25	2.441	3.740
418	3"	*	20	2.559	4.272
419	4"	*	10	2.835	5.512